



the hospitality
specialists

R290
**NATURAL
GAS**
zero impact
on global warming
R600a

First
on the
market


































blupura

Cool, yes we are.



FLOOR STANDING					Dimensions LxWxH (mm)	Net weight (Kg)	Dispensing area height (mm)							
FONTEMAGNA STEEL		The top of the range water-cooler for high volume supply of cold still and sparkling water.		FONTEMAGNA	80 l/h	520x510x1450	40	305	●	●	●	●	●	Op.
				STEEL	150 l/h	520x510x1450	45	305	●	●	●	●	●	●
FONTEMAGNA I.T.		With exactly the same performance and material as the Fontemagna Steel, but with stainless steel buttons on the control panel.		FONTEMAGNA	80 l/h	520x510x1450	40	305	●	●	●	●	●	Op.
				I.T.	150 l/h	520x510x1450	45	305	●	●	●	●	●	●
FONTEMAGNA Light 3.0		A fontemagna water-cooler but with mechanic buttons - no compromises on quality or performance - with all of the benefits of using ecologic gas R290!		FONTEMAGNA	80 l/h	520x510x1450	40	305	●	●	●	●	●	Op.
				Light 3.0	150 l/h	520x510x1450	45	305	●	●	●	●	●	●
FONTEMAGNA GLASS		Elegance and originality in the customized stainless steel and glass version, now available with the safety of reverse osmosis filtration.		FONTEMAGNA	150 l/h	520x510x1450	50	305	●	●	●	●	●	Op.
FONTEMAGNA HOT		The power and versatility of Fontemagna now with the added service of supplying hot water at 95°C. <small>*still and sparkling water only</small>		FONTEMAGNA	150 l/h 16 l/h	520x510x1450	50	305	●	●	●	Op.*	●	Op.
BLBar Floor Standing		The floor standing water-cooler with mechanical and manual taps. Simple and functional.		BLBar	80 l/h	500x525x1485	45	355	●	●	●	●	●	Op.
				Floor Standing	150 l/h	500x525x1485	50	355	●	●	●	●	●	●
COUNTER TOP														
FONTEMAGNA COMPACT		The perfect solution! All the positive points of the Fontemagna but in a compact counter-top cooler.		FONTEMAGNA	80 l/h	460x590x510	35	310	●	●	●	●	●	Op.
				COMPACT	150 l/h	460x590x510	40	305	●	●	●	●	●	Op.
FONTEMAGNA COMPACT I.T.		With exactly the same performance and material as the Fontemagna Compact, but with stainless steel buttons on the control panel.		FONTEMAGNA	80 l/h	460x590x510	35	310	●	●	●	●	●	Op.
				COMPACT I.T.	150 l/h	460x590x510	40	305	●	●	●	●	●	Op.
ecochic I.T.		The new countertop water-cooler with an elegant, modern design... so cool!		ecochic	80 l/h	345x592x555	30	238-277-315-372	●	●	●	Op.	●	Op.
				I.T.	150 l/h	488x589x555	35	237-275-314-370	●	●	●	Op.	●	Op.
ecochic "Beer" tap		Countertop water-cooler with adjustable drip tray and manual taps		ecochic	80 l/h	488x589x580	30	203-242-280-332	●	●	●	●	●	Op.
				"Beer" tap		488x589x580	35	202-240-279-336	●	●	●	●	●	Op.

		<p>With mechanical manual taps it is the perfect cooler for any type of bar and restaurant!</p>			 80 l/h	360x575x570	42	320	●	●				
		<p>With stainless steel buttons for a more professional supply of water with the option of "portion control".</p>			 80 l/h	360x575x508	42	320	●	●		Op.	●	Op.
TAPS														
		<p>The universal tap for those wanting stylish design on the bar/counter without renouncing the ease of the touch screen commands and volumetric portioning.</p>			510x480x555	16	298	●	●	●	●	Op.		
		<p>The revolutionary supply head with 3 outlets, suitable for any type of undercounter model.</p>			360x290x605	15	306	●	●	●	●	Op.		
		<p>The first dispensing head with stainless steel buttons.</p>			360x290x605	15	306	●	●	●	●	Op.		
		<p>The slimmest dispensing tap available with touch screen technology and double supply points.</p>			335x230x425	8	340	●	●	●	●			
		<p>Perfect for design lovers with limited space and who demand the performance of professional faucets.</p>			140x140x442	8	318	●			Op.		Op.	
		<p>All three way taps supply cold still, sparkling water and room temperature water.</p>			C2A 165x202x396 C3A 218x202x396 C2P 165x202x396 C3P 218x202x396	5 7 5 7	300 300 300 300	● ● ● ●						
UNDERCOUNTER														
		<p>The ideal undercounter solution for supplying larger quantities of water than the entire Fontemagna range - a staggering 280 Lt per hour! As always with zero impact on the environment due to the use of the ecologic gas R290.</p>		 80 l/h  150 l/h  280 l/h	318x457x467	34	-	●	●					
				 80 l/h  150 l/h  280 l/h	460x460x520	35	-	●	●					
				550x760x720	68	-	●	●						
				Dimensions LxWxH (mm)	Net weight (Kg)	Dispensing area height (mm)								

Hygiene and safety

**Active carbon filters, in-line bactericidal UV lights, water treatment systems with reverse osmosis and electric anti-limescale...
Discover how you can improve the quality of your water using our optionals.**

Active carbon filters



Purifies the water making it crystal clear, odorless and tasteless. It filters out all impurities up to 0.5 microns, removes all odors and unwanted tastes such as chlorine, asbestos fibers and some microorganisms such as Cryptosporidium.

- Everpure 4C (11,000 lt. capacity)
- Everpure AC (2,800 lt. capacity)

Nano Silver pipe

Stainless steel tube AISI 316L with an innovative nanotechnology-based SILVER ion treatment on the surface.

Silver is naturally bacterio-static and so reduces bacterial growth in the pipe. The surface treated with these nano particles is much more compact and smooth: this prevents the formation of deposits, biofilm or bacterial colonies and because the water flows better through the tube, also reduces dripping at the end of dispensing.



Osmosis



A water treatment system based on the principle of reverse osmosis, to break down the content of nitrates and other substances dissolved in the water giving the post osmosis-treated water a very low TDS count. (A water outlet is needed)


UV filters (12w)



UVC lamp in-line

UVC lamp at outlet (4w)

Protects the dispensing area from bacterial growth, avoiding the risk of retro-contamination.



Drip tray



Drip Tray (150x220 mm or 400x220mm) also with drain

Sanitizing products

Sanitizing and clearing products for the plants



Bottle-washing basket



The universal basket for professional catering dishwashers.

Maximum capacity: 25 bottles.
Max diameter: 8.7 cm.

Dimensions WxDxH (mm)
Cover: 500x500x24
Basket: 500x500x308
Trolley: 543x543x203

Python with recirculation pump



Pressure reducers

CO2 pressure reducer for refillable or single-use cylinder, water block, water pressure reducer.



All filtration proposals are approved by the Ministry of Health. The potable mains water supply is improved with filtration that maintains all the minerals and beneficial properties of the water whilst refining the taste and quality

Certifications



Blupura cited by Greenpeace as "an exemplary company" in their report on Cooling Technologies.



Blupura S.r.l. Registered Office: Via F.lli Branconi, 56 - 60025 Loreto (An) - Italy

Headquarters: Via Erideo Marinucci, 2/4 - Zona Industriale Squartabue - 62019 Recanati (Mc) - Italy

Tel. +39 071 971 0080 - Fax +39 071 971 0084 - info@blupura.com

Blupura Usa - 1200 Brickell Ave, Suite 1950 - Miami (FL) 33172 - USA - Tel. +1 305 777 3591 - blupurausa@blupura.com

www.blupura.com